Journal of the Neurological Sciences, 1988, 85: 352–354
Elsevier

Author Index (Vol. 85)

Albert, J., see Chiodi, F., 245
Åsjö, B., see Chiodi, F., 245
Aso, H., see Seki, H., 259

Bhoyrul, S., Sharma, A.K., Stribling, D., Mirrlees, D.D., Peterson, R.G., Farber, M.O. and Thomas, P.K.
Ultrastructural observations on myelinated fibres in experimental diabetes: effect of aldose reductase inhibitor ponalrestat given alone or in conjunction with insulin therapy, 131
Bots, G.T.A.M., see Luyendijk, W., 267
Brites, E.C., see Wajner, M., 233

Chiodi, F., Sönnerborg, A., Albert, J., Gaines, H., Norkrans, G., Hagberg, L., Åsjö, B., Strannegård, Ö. and Fenyö, E.M.
Human immunodeficiency virus infection of the brain. I. Virus isolation and detection of HIV specific antibodies in the cerebrospinal fluid of patients with varying clinical conditions, 245
Coelho Dutra, J., see Wajner, M., 233

De Haan, A.F.J., see Wirtz, P., 293
Dick, D.J., Harris, J.B., Falkous, G., Foster, J.B. and Xuereb, J.H.
Neuronal anti-nuclear antibody in paraneoplastic sensory neuronopathy, 1

Ek, J., see Torvik, A., 39
Esteban, A. and Giménez-Roldán, S.
Involuntary closure of eyelids in parkinsonism. Electrophysiological evidence for prolonged inhibition of the levator palpebrae muscles, 333

Falkous, G., see Dick, D.J., 1
Farber, M.O., see Bhoyrul, S., 131
Fenyö, E.M., see Chiodi, F., 245
Flores Pires, R., see Wajner, M., 233
Foster, J.B., see Dick, D.J., 1
Frangione, B., see Luyendijk, W., 267

Gaines, H., see Chiodi, F., 245
Giménez-Roldán, S., see Esteban, A., 333
Goto, I., see Ibayashi, H., 149
Greenham, L.W., Hicks, D. and Smith, S.
Detection of DNA transcripts of measles genes in multiple sclerosis brain tissue by transfection, 55
Gregson, N., see Khalili-Shirazi, A., 17

Hagberg, L., see Chiodi, F., 245
Hansen, S., see Perry, T.L., 309
Harada, N., see Ibayashi, H., 149
Harris, J.B., see Dick, D.J., 1
Hatakeyama, S., see Yamada, M., 223
Hendriks, J.C.M., see Wirtz, P., 293
Hicks, D., see Greenham, L.W., 55

Ibayashi, H., Ideguchi, H., Harada, N., Ishimoto, S. and Goto, I.
Systemic triglyceride storage disease with normal carnitine: a putative defect in long-chain fatty acid metabolism, 149
Ideguchi, H., see Ibayashi, H., 149
Inoue, K., see Ono, S., 240
Ishimoto, S., see Ibayashi, H., 149

Jennekens-Schinkel, A., Sanders, E.A.C.M., Lanser, J.B.K. and Van der Velde, E.A.
Reaction time in ambulant multiple sclerosis patients. Part I. Influence of prolonged cognitive effort, 173
Jennekens-Schinkel, A., Sanders, E.A.C.M., Lanser, J.B.K. and Van der Velde, E.A.
Reaction time in ambulant multiple sclerosis patients. Part II. Influence of task complexity, 187
Jones, D.A., see Rutherford, O.M., 319
Jones, K., see Perry, T.L., 309

Kase, B.F., see Torvik, A., 39
Kato, K., Shimizu, A. and Totsuka, T.
Developmental changes in fiber type-related proteins in soleus, rectus femoris, and heart muscles of normal and dystrophic mice, 161

0022-510X/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Khalili-Shirazi, A., Gregson, N. and Webb, H.E.
Immunocytichemical evidence for Semliki Forest virus antigen persistence in mouse brain, 17
Khurana, R.K., Koski, C.L. and Mayer, R.F.
Autonomic dysfunction in Lambert–Eaton myasthenic syndrome, 77
Koike, F., Kunishita, T., Nakayama, H. and Tabira, T.
Immunohistochemical study of Alzheimer's disease using antibodies to synthetic amyloid and fibronectin, 9
Koski, C.L., see Khurana, R.K., 77
Kunishita, T., see Koike, F., 9

Lanser, J.B.K., see Jennekens-Schinkel, A., 173, 187
Larsson, L. and Skogsberg, C.
Effects of the interval between removal and freezing of muscle biopsies on muscle fibre size, 27
Lisney, S.J.W., see Pover, C.M., 281
Loermans, H.M.T., see Wirtz, P., 293
Luyendijk, W., Bots, G.T.A.M., Vegter-van der Vlis, M., Went, L.N. and Frangione, B.
Hereditary cerebral haemorrhage caused by cortical amyloid angiography, 267
Mannen, T., see Ono, S., 240
Mayer, R.F., see Khurana, R.K., 77
Mirrlees, D.D., see Bhoyrul, S., 131
Morgan, J.E.
Myogenicity in vitro and in vivo of mouse muscle cells separated on discontinuous Percoll gradients, 197

Nagata, M., see Takamori, M., 121
Nakayama, H., see Koike, F., 9
Norkrans, G., see Chiodi, F., 245
Nowak, Z., see Selmaj, K., 67

Okumura, S., see Takamori, M., 121
Ono, S., Inoue, K. and Mannen, T.
Letter to the Editor, 240

Pathak, S. and Webb, H.E.
An electron microscopical study of the replication of avirulent Semliki Forest virus in the retina of mice, 87
Peña, C.E.
Letter to the Editor, 239
Perry, T.L., Jones, K., Hansen, S. and Wall, R.A.
2-Phenylpyridine and 3-phenylpyridine, constituents of tea, are unlikely to cause idiopathic Parkinson's disease, 309
Peterson, R.G., see Bhoyrul, S., 131
Plioplys, A.V.
Expression of the 210 kDa neurofilament subunit in cultured central nervous system from normal and trisomy 16 mice: regulation by interferon, 209
Pons, A.H., see Wajner, M., 233
Pover, C.M. and Lisney, S.J.W.
An electriophysiological and histological study of myelinated axon regeneration after peripheral nerve injury and repair in the cat, 281

Rosa Júnior, A., see Wajner, M., 233
Rutherford, O.M. and Jones, D.A.
Contractile properties and fatiguability of the human adductor pollicis and first dorsal interosseus: a comparison of the effects of two cronic stimulation patterns, 319

Sanders, E.A.C.M., see Jennekens-Schinkel, A., 173, 187
Scliar Buchalter, M., see Wajner, M., 233
Seki, H., Tsukamoto, T., Aso, H. and Tamura, K.
Intrathecal synthesis of immunosuppressive acidic protein (IAP) in patients with multiple sclerosis and other inflammatory neurological diseases, 259
Selmaj, K., Nowak, Z. and Tchórzewski, H.
Interleukin-1 and interleukin-2 production by peripheral blood mononuclear cells in multiple sclerosis patients, 67
Sharma, A.K., see Bhoyrul, S., 131
Shimizu, A., see Kato, K., 161
Skjeldal, O., see Torvik, A., 39
Skogsberg, C., see Larsson, L., 27
Smith, S., see Greenham, L.W., 55
Sönnerborg, A., see Chiodi, F., 245
Stokke, O., see Torvik, A., 39
Strannegård, Ö., see Chiodi, F., 245
Stribling, D., see Bhoyrul, S., 131

Tabira, T., see Koike, F., 9
Takamori, M., Okumura, S., Nagata, M. and Yoshikawa, H.
Myasthenogenic significance of synthetic α-subunit peptide 183–200 of *Torpedo californica* and human acetylcholine receptor, 121
Tamura, K., see Seki, H., 259
Tchórzewski, H., see Selmaj, K., 67
Thomas, P.K., see Bhoyrul, S., 131
Torp, S., see Torvik, A., 39

Torvik, A., Torp, S., Kase, B.F., Ek, J., Skjeldal, O. and Stokke, O.
Infantile Refsum's disease: a generalized peroxismal disorder. Case report with postmortem examination, 39
Totsuka, T., see Kato, K., 161
Treis Trindade, V., see Wajner, M., 233
Tsukagoshi, H., see Yamada, M., 223
Tsukamoto, T., see Seki, H., 259

Van der Velde, E.A., see Jennekens-Schinkel, A., 173, 187
Vegter-van der Vlis, M., see Luyendijk, W., 267

Wajner, M., Brites, E.C., Coelho Dutra, J., Scliar Buchalter, M., Pons, A.H., Flores Pires, R., Wannmacher, L.E., Rosa Júnior, A., Treis Trindade, V. and Wannmacher, C.M.D.
Diminished concentration of ganglioside *N*-acetylneuraminic acid (G-NeuAc) in cerebellum of young rats receiving chronic administration of methylmalonic acid (Short Communication), 233
Wall, R.A., see Perry, T.L., 309
Wannmacher, C.M.D., see Wajner, M., 233
Wannmacher, L.E., see Wajner, M., 233
Webb, H.E., see Khalili-Shirazi, A., 17
Webb, H.E., see Pathak, S., 87
Went, L.N., see Luyendijk, W., 267
Wirtz, P., Loermans, H.M.T., De Haan, A.F.J. and Hendriks, J.C.M.
Early immobilization of hindleg muscles of dystrophic mice: short-term and long-term effects, 293

Xuereb, J.H., see Dick, D.J., 1

Yamada, M., Tsukagoshi, H. and Hatakeyama, S.
Skeletal muscle amyloid deposition in AL- (primary or myeloma-associated), AA- (secondary), and prealbumin-type amyloidosis, 223
Yoshikawa, H., see Takamori, M., 121

Journal of the Neurological Sciences, 1988, 85: 355–356
Elsevier

Subject Index (Vol. 85)

AA amyloid, 223
Acetylcholine receptor, 121
AL amyloid, 223
Aldose reductase inhibition, 131
Alzheimer's disease, 9, 209, 267
Amyloid, 9
Amyloid myopathy, 223
Amyloidosis, 267
Amyloid proteins, 223
Amyotrophic lateral sclerosis, 259
Anti-acetylcholine receptor antibody, 121
Anti-nuclear immunoglobulin, 1
Apraxia of lid opening, 333
Autonomic dysfunction, 77
Autosomal dominant heredity, 267

Blepharospasm, 333
Blinking, 333
α-Bungarotoxin-binding site, 121

Carnitine, 149
Cell separation, 197
Cerebral hemorrhage, 267
Cerebro-hepato-renal syndrome, 39
Cerebrospinal fluid, 245, 259
Cocoa, 309
Contractile properties, 319
Cortical arteriosclerosis, 267
Creatine kinase, 161
Cystatin C (gamma trace), 267

Demyelination, 17, 87
DNA, 55
Dopaminergic nigrostriatal neurons, 309
Dorsal root ganglion, 1
Down's syndrome, 209

Electrical stimulation, 319
Electron microscopy, 87
Enolase, 161
Experimental diabetes mellitus, 121

Fatigue, 319
Fatty liver, 149
Fibronectin, 9

Ganglioside *N*-acetylneuraminic acid, 233
Gullain-Barré syndrome, 259

Hereditary cerebral hemorrhage with amyloid, Dutch type (HCHWA-D), 267
HIV antibodies, 245
HIV isolation, 245

Immobilization, 293
Immunoassay, 161
Immunocytochemistry, 17
Immunosuppressive acidic protein, 259
Infantile Refsum's disease, 39
Insulin therapy, 131
Interferon, 209
Interleukin-1, 67
Interleukin-2, 67
Involuntary closure of eyelids, 333

Jordans' anomaly, 149

Lambert-Eaton myasthenic syndrome, 77
Lipid storage myopathy, 149
Long-chain fatty acids, 149
Lung cancer, 77

Measles virus, 55
Metabolic diseases, 39
Methylmalonic acid, 233
Methylmalonic acidemia, 233
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP), 309
Miller Fisher syndrome, 259
Monoclonal antibodies, 17
Morphometry, 131
Multiple sclerosis, 55, 67, 259
Multiple sclerosis patients, 173, 187
Murine muscular dystrophy, 293
Muscle cell, mouse, 197
Muscle fiber size, 27

0022-510X/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Muscle fiber type, 161
Muscle-related proteins, 161
Muscle strength, 319
Muscular dystrophy, 161
Myasthenia gravis, 121
Myelinated axons, 281
Myogenicity, 197

Neonatal adrenoleukodystrophy, 39
Neuro-Behçet's disease, 259
Neurofilament, 209
Neuropathy, 131
Neurotoxins, 309

Ocular EMG, 333

Paraneoplastic neuronopathy, 1
Paraneoplastic syndrome, 77
Parasympathetic function, 77
Parkinson's disease, 309
Parkinsonism, 333
Peripheral blood mononuclear cells, 67
Peripheral nerve injury, 281
Peripheral nerve regeneration, 281
Peripheral nerve repair, 281
Peroxisomal deficiency, 39
2-Phenylpyridine, 309
3-Phenylpyridine, 309
Prealbumin-related amyloid, 223
Prolonged cognitive effort, 173

β-Protein, 267

Radioimmunoprecipitation assay, 245
Reaction time, 173, 187
Remobilization, 293
Retina, 87
Retrofection, 55

S-100 protein, 161
Semliki Forest virus, 87
Semliki Forest virus persistence, 17
Senile plaque, 9
Skeletal muscle, 223
Soleus muscle, rat, 27
Spherule, 87
Spinocerebellar degeneration, 259
Sympathetic function, 77
Synthetic peptides, 121
Systemic amyloidosis, 223

Task complexity, 187
Tea, 309
Tissue culture, 209
Transfection, 55
Trisomy 16, 209

Virion, 87
Virus replication, 87

Zellweger syndrome, 39